


## Telephone Cable – External Jelly Filled

**Conductors:** Plain Copper Wire Polyethylene Insulated.

**Colour chart:** See below

**Sheath:** Black Polyethylene for most applications with the addition of nylon jacket for termite / rat problem areas.



CODE	Description	Conductors (mm)	No. of Conductors	Insulation Thickness (mm)	Nominal O/D (mm)
CSTEL2PUG	2 Pair	1/0.4	4	0.16	6
CSTEL2PUG64	2 Pair	1/0.64	4	0.25	7
CSTEL6PUG	6 Pair	1/0.4	12	0.16	6.7
CSTEL6PUG64	6 Pair	1/0.64	12	0.25	9
CSTEL10PUG	10 Pair	1/0.4	20	0.16	8
CSTEL10PUG64	10 Pair	1/0.64	20	0.25	10
CSTEL20PUG	20 Pair	1/0.4	40	0.16	11
CSTEL20PUG64	20 Pair	1/0.64	40	0.25	15
CSTEL30PUG	30 Pair	1/0.4	60	0.16	12.2
CSTEL50PUG	50 Pair	1/0.4	100	0.16	14.9
CSTEL100PUG	100 Pair	1/0.4	200	0.16	19.8
CSTEL100PUG64	100 Pair	1/0.64	200	0.25	28.2

Core Colour Chart

Pair No.	Wire 1	Wire 2	Unit No.	Unit Binder
1	White	Blue	1	Blue
2	White	Orange	2	Orange
3	White	Green	3	Green
4	White	Brown	4	Brown
5	White	Grey	5	Grey
6	Red	Blue	6	Blue-Grey
7	Red	Orange	7	Orange-White
8	Red	Green	8	Green-White
9	Red	Brown	9	Brown-White
10	Red	Grey	10	Grey-White

# Underground




## Cat 5E /Cat 6 Gel Filled

**Conductor:** Annealed Copper Wire. 24AWG

**Insulation/Sheath:** Black PE. UV rated


{STP includes A1 Foil shield and solid 1/0.5 tinned Copper drain wire.}

**Length:** 305mtr Rolls



orange 2	green 3
white/orange	white/green
blue 1	brown 4
white/blue	white/brown

GEL



INSULATION

JACKETING (PE-MATERIAL)

CONDUCTOR

CODES:

CAT5e CSDC5EJFP.  
Cat 6 CSDC6JFP(300)

## RG59 Coax Underground


**Conductor:** 1/0.6 mm (23AWG) Solid Bare Copper wire

**Dielectric Insulation:** Solid PE 3.7mm

**Braiding:** Bare Copper (95% Coverage)

**Sheath:** Black HDPE (Polyethylene) 1.0mm

**Diameter:** 6.1mm




CODE: CSCRG59PEUG

# Underground Cable

## Underground Cable


Fig 8 24/0.20 'PE' Jacket

Code: CSF82402UG



6Core Security 14/0.20-Jelly Filled


Code: CSSEC614UG



Multipair Screened 7/0.20-Jelly Filled


Code: CSDS1P702UG

1 Pair



Code: CSDS2P702UG

2 Pair



Code: CSDS3P702UG

3 Pair

