

SCREWED ELECTRO GALVANISED CONDUIT CLASS 3. AS/NZ 2053.7

CONDUIT – ELECTRO GALVANISED (4 M LENGTHS)



PART NO.	SIZE
COND20GAL	20 mm Electro Galvanised 4 metre
COND25GAL	25 mm Electro Galvanised 4 metre
COND32GAL	32 mm Electro Galvanised 4 metre
COND40GAL	40 mm Electro Galvanised 4 metre
COND50GAL	50 mm Electro Galvanised 4 metre

- SUPPLIED WITH COUPLING – Standard 4 meter lengths – **BOTH ENDS THREADED**

SCREWED HOT DIP GALVANISED CONDUIT CLASS 4. AS/NZ 2053.7

CONDUIT – HOT DIP GALVANISED (4 M LENGTHS)



PART NO.	SIZE
COND16GALHDG	16 mm Hot Dip Galvanised 4 metre
COND20GALHDG	20 mm Hot Dip Galvanised 4 metre
COND25GALHDG	25 mm Hot Dip Galvanised 4 metre
COND32GALHDG	32 mm Hot Dip Galvanised 4 metre
COND40GALHDG	40 mm Hot Dip Galvanised 4 metre
COND50GALHDG	50 mm Hot Dip Galvanised 4 metre
COND63GALHDG	63 mm Hot Dip Galvanised 4 metre

-SUPPLIED WITH COUPLING – Standard 4 meter lengths – **BOTH ENDS THREADED**

LOCFIT PLAIN CONDUIT

CONDUIT – THREADLESS (4 M LENGTHS)



PART NO.	SIZE
COND20GALLK	20 mm Locfit Conduit
COND25GALLK	25 mm Locfit Conduit
COND32GALLK	32 mm Locfit Conduit
COND40GALLK	40mm Locfit Conduit
COND50GALLK	50 mm Locfit Conduit

-SUPPLIED WITH COUPLING – Standard 4 meter lengths

CONDUIT FITTINGS

CONDUIT SADDLES - HOT DIP GALVANISED



PART NO.

SAD20HDG
SAD25HDG
SAD32HDG
SAD40HDG
SAD50HDG

SIZE

20 mm HDG Half Saddles
25 mm HDG Half Saddles
32 mm HDG Half Saddles
40 mm HDG Half Saddles
50 mm HDG Half Saddles



PART NO.

SAD20FHDG
SAD25FHDG
SAD32FHDG
SAD40FHDG
SAD50FHDG

SIZE

20 mm HDG Full Saddles
25 mm HDG Full Saddles
32 mm HDG Full Saddles
40 mm HDG Full Saddles
50 mm HDG Full Saddles

DISTANCE SADDLES - CAST



PART NO.

BESDS20G
BESDS25G
BESDS32G
BESDS40G
BESDS50G

SIZE

20 mm Distance Saddles Cast
25 mm Distance Saddles Cast
32 mm Distance Saddles Cast
40 mm Distance Saddles Cast
50 mm Distance Saddles Cast

CONDUIT SADDLES - ELECTRO GALVANISED (ZINC PLATED)



PART NO.

CLII8020
CLII8025
CLII8032
CLII8040
CLII8050

SIZE

20 mm Zinc Plated Half Saddles
25 mm Zinc Plated Half Saddles
32 mm Zinc Plated Half Saddles
40 mm Zinc Plated Half Saddles
50 mm Zinc Plated Half Saddles



PART NO.

CLII72GM
CLII73GM
CLII74GM
CLII75GM
CLII76GM

SIZE

20 mm Zinc Plated Full Saddles
25 mm Zinc Plated Half Saddles
32 mm Zinc Plated Half Saddles
40 mm Zinc Plated Half Saddles
50 mm Zinc Plated Half Saddles

CONDUIT FITTINGS

HOT DIP GALVANISED THREADED COUPLING



PART NO.	SIZE
OME20COUPHDG	20 mm Hot Dip Galvanised
OME25COUPHDG	25 mm Hot Dip Galvanised
OME32COUPHDG	32 mm Hot Dip Galvanised
OME40COUPHDG	40 mm Hot Dip Galvanised
OME50COUPHDG	50 mm Hot Dip Galvanised

ZINC PLATED THREADED COUPLING



PART NO.	SIZE
OME20B	20 mm Sweep Bend
OME25B	25 mm Sweep Bend
OME32B	32 mm Sweep Bend
OME40B	40 mm Sweep Bend
OME50B	50 mm Sweep Bend

CONDUIT FITTING SWEEP BENDS



PART NO.	SIZE
OME20BHDG	20 mm HDG Sweep Bend
OME25BHDG	25 mm HDG Sweep Bend
OME32BHDG	32 mm HDG Sweep Bend
OME40BHDG	40 mm HDG Sweep Bend
OME50BHDG	50 mm HDG Sweep Bend

CONDUIT FITTING SOLID ELBOW



PART NO.	SIZE
OME20E	20 mm Solid Elbow
OME25E	25 mm Solid Elbow
OME32E	32 mm Solid Elbow

CONDUIT FITTING INSPECTION ELBOW



PART NO.	SIZE
OME20INSPE	20 mm Inspection Elbow
OME25INSPE	25 mm Inspection Elbow
OME32INSPE	32 mm Inspection Elbow
OME40INSPE	40 mm Inspection Elbow
OME50INSPE	50 mm Inspection Elbow

CONDUIT FITTING INSPECTION TEE



PART NO.	SIZE
OME20INPST	20 mm Inspection Tee
OME25INPST	25 mm Inspection Tee
OME32INPST	32 mm Inspection Tee
OME40INPST	40 mm Inspection Tee
OME50INPST	50 mm Inspection Tee

CONDUIT FITTINGS

CONDUIT FITTING 1 WAY JUNCTION BOX



PART NO.

OME201WJB.
OME251WJB.
OME321WJB.
OME401WJB.
OME501WJB.

SIZE

20 mm 1 Way
25 mm 1 Way
32 mm 1 Way
40 mm 1 Way
50 mm 1 Way

CONDUIT FITTING 2 WAY JUNCTION BOX



PART NO.

OME202WJB.
OME252WJB.
OME322WJB.
OME402WJB.
OME502WJB.

SIZE

20 mm 2 Way
25 mm 2 Way
32 mm 2 Way
40 mm 2 Way
50 mm 2 Way

CONDUIT FITTING 3 WAY JUNCTION BOX



PART NO.

OME203WJB.
OME253WJB.
OME323WJB.
OME403WJB.
OME503WJB.

SIZE

20 mm 3 Way
25 mm 3 Way
32 mm 3 Way
40 mm 3 Way
50 mm 3 Way

CONDUIT FITTING 4 WAY JUNCTION BOX



PART NO.

OME204WJB.
OME254WJB.
OME324WJB.
OME404WJB.
OME504WJB.

SIZE

20 mm 4 Way
25 mm 4 Way
32 mm 4 Way
40 mm 4 Way
50 mm 4 Way

CONDUIT FITTING ANGLED JUNCTION BOX



PART NO.

OME202AWJB.
OME252AWJB.
OME322AWJB.
OME402AWJB.
OME502AWJB.

SIZE

20 mm Angled
25 mm Angled
32 mm Angled
40 mm Angled
50 mm Angled

CONDUIT FITTINGS

CONDUIT FITTINGS LOCKNUT – HOT DIP GALVANISED



PART NO.

LOCKNUT20HDG
LOCKNUT25HDG
LOCKNUT32HDG
LOCKNUT40HDG
LOCKNUT50HDG

SIZE

20 mm Hot Dip Galvanised
25 mm Hot Dip Galvanised
32 mm Hot Dip Galvanised
40 mm Hot Dip Galvanised
50 mm Hot Dip Galvanised

CONDUIT FITTINGS LOCKNUT – NICKEL PLATED BRASS



PART NO.

LOCKNUT20NPB
LOCKNUT25NPB
LOCKNUT32NPB
LOCKNUT40NPB
LOCKNUT50NPB

SIZE

20 mm Locknut Nickel Plated Brass
25 mm Locknut Nickel Plated Brass
32 mm Locknut Nickel Plated Brass
40 mm Locknut Nickel Plated Brass
50 mm Locknut Nickel Plated Brass

REDUCER NICKEL PLATED BRASS



PART NO.

OMER2016
OMER2520
OMER3225
OMER4032
OMER5040

SIZE

20 – 16 mm Electro Galvanised
25 – 20 mm Electro Galvanised
32 – 25 mm Electro Galvanised
40 – 32 mm Electro Galvanised
50 – 40 mm Electro Galvanised

CONDUIT FITTINGS

CONDUIT FITTINGS HEX PLUGS



PART NO.

OMEHP16G
OMEHP20G
OMEHP25G
OMEHP32G
OMEHP40G
OMEHP50G

SIZE

16 mm Hex Plug
20 mm Hex Plug
25 mm Hex Plug
32 mm Hex Plug
40 mm Hex Plug
50 mm Hex Plug

CONDUIT FITTINGS HEX PLUGS



PART NO.

OMEHP16NPB
OMEHP20NPB
OMEHP25NPB
OMEHP32NPB
OMEHP40NPB
OMEHP50NPB

SIZE

16 mm Hex Plug
20 mm Hex Plug
25 mm Hex Plug
32 mm Hex Plug
40 mm Hex Plug
50 mm Hex Plug

CONDUIT FITTINGS BARREL UNIONS




PART NO.

OME20BU
OME25BU
OME32BU
OME40BU
OME50BU

SIZE

20 mm
25 mm
32 mm
40 mm
50 mm

CONDUIT FITTINGS BOX LIDS



PART NO.

OMELIDS
OMELIDL
OMELIDSS
OMELIDLS

SIZE

BOX LIDS SMALL
BOX LIDS LARGE
Screws for small lids
Screws for large lids

CONDUIT ACCESSORIES

CONDUIT BENDER



PART NO.	DESCRIPTION
CSSCB20C	20 mm Conduit Bender Complete
CSSCB25C	25 mm Conduit Bender Complete
CSSCB32C	32 mm Conduit Bender Complete
CSSCB20HE	20 mm Conduit Bender Head Only
CSSCB25HE	25 mm Conduit Bender Head Only
CSSCB32HE	32 mm Conduit Bender Head Only
CSSCB20HA	20 mm Conduit Bender Handle Only
CSSCB25HA	25 mm Conduit Bender Handle Only
CSSCB32HA	32 mm Conduit Bender Handle Only
CSSCB20HA	20 mm Conduit Bender Clip & Spring
CSSCB25HA	25 mm Conduit Bender Clip & Spring
CSSCB32HA	32 mm Conduit Bender Clip & Spring
CSSAL202532	Bender Stand 20, 25, 32mm c/with Vice

WARRAGUL RATCHET DIE HOLDER & SETS



PART NO.	DESCRIPTION
CSPN3007757	Warragul Ratchet Die Holder
CSPN3003904	Warragul Die Complete Set 16-32mm

WARRAGUL DIES



PART NO.	DESCRIPTION
CSPN2662808	Warragul Die 16mm X 1.5mm Pitch
CSPN2662817	Warragul Die 20mm X 1.5mm Pitch
CSPN2662826	Warragul Die 25mm X 1.5mm Pitch
CSPN2662835	Warragul Die 32mm X 1.5mm Pitch

WARRAGUL DIE GUIDES



PART NO.	DESCRIPTION
CSPN2672202	Warragul Die Guide 16mm
CSPN2672211	Warragul Die Guide 20mm
CSPN2672220	Warragul Die Guide 25mm
CSPN2672239	Warragul Die Guide 32mm

REMS RATCHET DIE HOLDER & SETS



PART NO.	DESCRIPTION
CSRM522000	REMS Ratchet Die Holder
CSRM522009	REMS Die Complete Set 20-40mm x 1.5mm
CSRM522010	REMS Die Complete Set 16-32mm x 1.5mm
CSRMFS16-50	REMS Die Complete Set 16-50mm x 1.5mm

REMS RATCHET DIE HOLDER & SETS



PART NO.	DESCRIPTION
CSRM521300	16mm REMS Die Complete
CSRM521310	20mm REMS Die Complete
CSRM521320	25mm REMS Die Complete
CSRM521330	32mm REMS Die Complete
CSRM521340	40mm REMS Die Complete
CSRM521350	50mm REMS Die Complete

REMS eva

Hand die stock with quick-change die heads

Proven quality die stock with excellent threading capabilities.

Pipe threads	1/8–2", 16–50 mm
Bolt threads	6–30 mm, 1/4–1"

REMS eva – the plumber's die stock.
Excellent start-cutting and threading.
Steel ratchet lever, thickly plastic coated.
Only one type of quick-change die heads.
Indestructible quality dies.

System advantage

Large working range up to 1 1/4" and up to 2" with only **one** ratchet lever. Only **one** type of small, compact quick-change die heads and only **one** type of dies. The same quick-change die heads fit all REMS die stocks and other suitable makes of die stocks. Efficient and easy stocking. No confusion possible.

Ratchet lever

Robust. Ratchet lever in steel, thickly plastic coated, for convenient operation. Serrated plastic handle for secure grip. Easy adjustment of ratchet rotation. Perfect, secure seating of quick-change die heads, fast and easy change.

Quick-change die heads

Proven technology, high-grade material and precise machining of die head, dies and cover form a unit and ensure an excellent start-cutting performance and easy threading. No stalling of dies. Long, precise pipe guidance for perfect pipe centering. The chip holes which become wider at the outside enable good chip flow and clean threads. Quick-change die heads S for cutting pipe threads in hard-to-reach areas.

Dies

The proven, indestructible REMS quality dies with precise cutting geometry ensure an excellent start-cutting performance, easy threading and clean threads. Dies in a high-quality special-grade steel, fully tempered and hardened, for extremely long die life.

Thread-cutting oil

REMS Sanitol and REMS Spezial. Specially developed for threading. High cooling and lubricating effect. Essential for clean threads and longer service life of dies, tools and machines.

Nipple-threading

Efficient with REMS Nippelspanner 3/8 – 2" .



German Quality Product



Supply format

REMS eva Set. Hand die stock with quick-change die heads. For pipe threads 1/8–2", 16–50 mm, bolt threads 6–30 mm, 1/4–1". For right and left-hand threads. 1 ratchet lever for the complete work range. Quick-change die heads with dies for pipe threads, tapered, ISO 7-1, EN 10226 (DIN 2999, BSPT) R right-hand respectively for threading electric conduit according to EN 60423 M. In sturdy steel case or in a cardboard box.

Description/Size	Art.-No.
REMS eva Set in steel case	
R 1/2-3/4-1	520014
R 1/2-3/4-1-1 1/4	520015
R 3/8-1/2-3/4-1-1 1/4	520013
R 1/2-3/4-1-1 1/4-1 1/2-2	520017
R 3/8-1/2-3/4-1-1 1/4-1 1/2-2	520016
M 16-20-25-32 (M x 1.5)	520010
M 20-25-32-40 (M x 1.5)	520009
REMS eva Set in cardboard box	
R 1/2-3/4	520008
R 1/2-3/4-1	520004
R 3/8-1/2-3/4-1-1 1/4	520003

REMS eva sets available for left-handed threads and NPT threads.

Accessories

Description	Art.-No.
Ratchet lever for complete work range	522000
Quick-change die heads S.	
Quick-change die heads, dies, attachment heads for button dies, for button dies, .	
Steel case with inlay, for REMS eva 3/8 – 2"	526050
Thread-cutting oil see page 47.	
REMS Nippelspanner 3/8 – 2" .	
REMS Aquila 3B , pipe workstation with chain pipe vice on folding tripod stand, .	
REMS Aquila WB , chain pipe vice for workbench, .	

